



YAMAHA YZF-R15 150cc

Yamaha YZF-R15 150cc is a superbike that offers a perfect blend of performance and reliability. It is a 150cc motorcycle that is designed for speed and agility. The bike is equipped with a 150cc engine that produces a maximum power of 18.4 kW (25.2 hp) at 10,000 rpm. It also features a 6-speed transmission and a 170mm front brake disc. The Yamaha YZF-R15 150cc is a great choice for riders who want a powerful and reliable motorcycle.

Yamaha YZF-R15 150cc is a superbike that offers a perfect blend of performance and reliability. It is a 150cc motorcycle that is designed for speed and agility. The bike is equipped with a 150cc engine that produces a maximum power of 18.4 kW (25.2 hp) at 10,000 rpm. It also features a 6-speed transmission and a 170mm front brake disc. The Yamaha YZF-R15 150cc is a great choice for riders who want a powerful and reliable motorcycle.

YAMAHA
2014 from 2013

YAMAHA MOTOR CO., LTD.
www.yamahamotor.com
Model: YZF-R1M 2014, MSRP: \$17,999
Model: YZF-R1 2014, MSRP: \$14,999
Find out more at <http://www.yamaha-motor.com>

YES? YAMAHA

NOTHING MATTERS.
Not even the opponent. The only one
IT'S **I VERSUS ME.**
ONCE I OPEN THE THROTTLE.

YAMAHA
R1
RACING BIKE



YAMAHA MOTOR CO., LTD. 1-800-451-7828

FEATURES THAT LET YOU RACE AHEAD.

2005 **YAMAHA** **YZF-R6**
1000 cc liquid-cooled inline four-cylinder
DOHC 4-valve engine with 162 hp @ 13,000 rpm
6-speed transmission, 6-disc ABS
Visit us online at <http://www.yamaha-motor.com>

LONG-TRAVEL FOKES

Let the bike speed through corners
without losing performance thanks
to long suspension.

WELLY BODY

Maximum performance
and protection.
All for a single fee.

BLUENOTE WORKS

Long suspension
for descending
over long tracks.

WIDE TIRE CONTACT

Extra contact
area keeps you
and your bike on track.

LEAD THE LIGHT

Lighter weight
150 lbs.





www.motogp.com
Email: info@motogp.com
Phone: +39 051 975 424 / +39 051 975 424
Fax: +39 051 975 424
Web site: www.motogp.com

After the success of 2002 and 2003, Valentino Rossi has shown that although the time comes to be crowned as the best rider in the world, Rossi is still the best. In 2004, Rossi won the MotoGP World Championship for the second time in his career, after the 2000 and 2001 titles. Rossi's success in 2004 was the result of his exceptional performance and his ability to adapt to a new team, the Yamaha Factory Racing. In 2004, Rossi won the MotoGP World Championship for the second time in his career, after the 2000 and 2001 titles. Rossi's success in 2004 was the result of his exceptional performance and his ability to adapt to a new team, the Yamaha Factory Racing.





TECHNICAL SPECIFICATIONS

Overall length (including stage)	1 270m x 270m x 1 270m
Net length	480m
Width	1 270m
Minimum panel diameter	1 000m
Net weight	1 500t
Tower lift	Automated towers (AT2), cable
Cylinder tower	Single cylinder
Truss tower	140.5m
Beam depth	22 x 40.5m
Compression ratio	10:1
Maximum wind	170km/h (100mph)
Maximum slope	10.6% (1:10.4)
Seismic rating	Class 100
Minimum depth	15m
Foundation type	Pile cap
Water	100 x 100 x 100
Insulation	100mm (4" POLYUREA) + 25mm (1" EPS) + 25mm (1" GYPSUM) + 25mm (1" GYPSUM) + 100mm (4" POLYUREA)
Acoustics	100 x 100 x 100
Clash test	100 x 100 x 100
Corrosion type	Stainless steel
Steel code	EN 10210 (S275JR), EN 10219 (S355JRH), EN 10217 (S355JRH)
Paint type	100 x 100 x 100
Coarse steel	100 x 100 x 100
Low noise boundary	100 x 100 x 100
Waterproof (Roof)	100 x 100 x 100
Suspender (Roof)	100 x 100 x 100

ARNOLD AND BOWLER
 CONSULTING ENGINEERS
 ARNOLD AND BOWLER LIMITED
 100, OLD HENRIETTA STREET, LONDON, EC2A 4JW
 Tel: +44 (0)20 7061 1000 Fax: +44 (0)20 7061 1001
 www.arnoldandbowler.com